

STATE CHILDHOOD IMMUNIZATION PROGRAM VACCINE ELIGIBILITY CHART

Vaccine	Those eligible for State-supplied Vaccine
DTaP (diphtheria/tetanus/acellular pertussis)	All children under 7 years of age.
DT (diphtheria/tetanus)	All children under 7 years of age with contraindications for pertussis.
Pediarix (diphtheria, tetanus, acellular pertussis, inactivated polio, and hepatitis B)	All children under 7 years of age. To be given for <u>first three doses only</u> .
Td (tetanus/diphtheria)	All children 7 years through 18 years of age.
Tdap	All children 11 and 12 years of age. May also be given to VFC-Eligible children 11 through 18 years of age.
Hib (Haemophilus Influenza B)	All children under 5 years of age.
DTaP-Hib (combination vaccine)	All children under 5 years of age <u>for 4th DTaP only</u> .
IPV (inactivated polio vaccine)	All children 18 years of age and younger.
MMR (measles/mumps/rubella)	All children 12 months through 18 years of age.
Hepatitis B	All children-birth through 18 years of age.
Hepatitis A	All children 12 months through 18 years of age. The two doses in the series should be administered at least 6 months apart.
PCV7 (Prevnar)	All children under 5 years of age.
Varicella (chicken pox)	All children 12 to 15 months and 4 to 6 years of age. May also be given to VFC-eligible children 12 months through 18 years of age.
Meningococcal (MCV4) VFC-Underinsured need to receive their immunization at a FQHC/RHC facility. Non-VFC children will need to receive "privately purchased" vaccine.	All VFC-eligible children 11 through 18 years of age.
Rotavirus VFC-Underinsured need to receive their immunization at a FQHC/RHC facility. Non-VFC children will need to receive "privately purchased" vaccine.	All VFC-eligible age appropriate children: This <u>oral</u> 3-dose series should be started at 6 – 12 weeks of age with subsequent doses given at 4 – 10 week intervals. Do not give this vaccine to an infant > 32 weeks of age.
Human Papillomavirus (HPV)	All South Dakota females 11 through 18 years of age for the year 2007.
Influenza	All children 6-23 months old. May also be given to all VFC-eligible children age 6 months through 18 years of age.